		PECEINER MAR.
Substitute for form 1449B/PTO	Con	nplete if Kn wn
INFORMATION DISCLOSURE	Application Number	09/683 160/00
STATEMENT BY APPLICANT	Filing Date	11-22-01
	Applicants	ALLEN ROCHE ETAL
(use as many sheets as necessary)	Group Art Unit	1745
	Examiner Name	I. Lin
Sheet of 2	Attorney Docket Number	201-1258

EXAMINER	Cas.	OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS include name of the extror in CAPITAL, LETTERS), size of the action (when appropriate). We of the item [pook, regardine, pounds, second, sympoosan, oration, exit, other, paped); volume-is-size a surdiver(s).
INITIAL*	No.	
e t-sex		K-H BUSSE; Arc Spraying Of Corded Wires; Thermal Spraying; June 1989; 19-28
t-sex	-	STEEPER et al.; A Taguchi Experimental Design Study Of Twin-Wire Electric Arc Sprayed Aluminum Coatinos: Proceedings of the International Thermal Spray Conference &
- 1		Expoeltion; May 28-June 5 1992; 427-432; Orlando, FL.
+		AKIRA OHMORI; Thermal Spraying Current Status And Future Trends; Proceedings of the 14th International Thermal Spray Conference; May 22-26 1995; 1197-1202; Kobe, Japan
	_	GRANE et al., Relationshipe Between Process Variables, Structure And Mechanical Properties of Arc Sprayed Steel Coatings; Surface Engineering Conference; 1985; 103-118
		NEWBERY et al.; The Electric Arc Spray Manufacture of Rapid Production Tooling: A Case Study; Proceedings of the 16 <sup>th</sup> International Thermal Spray Conference; May 26-29 1998; 1223-1228; Nice, France
		ZURECKI et al.; Electric Arc Deposition of Carbon Steel Coatings with Imporved Mechanics Properties; Journal of Thermal Spray Technology; December 1997; Volume 6(4); 417-421;
		HARRIS et al.; influence of Heat Transfer on the Structure and Properties of Arc Sprayed Low Alloy Steols; Surface Engineering conference; 1986; 78-94
$\top$		FUSSELL et at; A Sprayed Steel Tool for Permanent Mold Casting of Aluminum; SAE Technical Paper Series; April 22-26 1991; 1-7; Dayton, OH.
		VDLENIK et al.; Properties of Alloy Steat Coatings Oxidized Dut=ring Plasma Spraying; Materials Science and Engineering; 1997; A234-236; 493-496
+-		WEISS et al.; Arc-Sprayed Steel-Faced Toolling; Journal of Thornal Spray Technology; September 1994; Volume 3(3); 275-281
$\top$		SMITH et al.; An investigatio of the Effects of DropistImpact Angle in Thermal Spray Deposition; Proceedings of the 7 <sup>th</sup> National Thermal Spray Conference; June 20-24 1994; 803-803: Boston, MA.
$\top$		KOWALSKY et al.; Diagnostic Behavior of the Wire-Arc-Plaema Spray Process; Proceeding of the International Thermal Spray Conference & Exposition; May 28-June 5 1992; 337-342; Ordando F.
		MURAKAMI et al.; Effect of Temperature Rise of Sprayed Deposits of an Fe-2.19wt.%C- 0.69wt.%SI Alloy During Themal Spraying on the Structures and the Mechanical Properties Materials Science and Engineering: 1994; AT74; 85-94
1./-		DRINZ: Shaping By Denosition: Carmole Mellon University
J/	T	STEFFENS; Metallurgical Changee in The Arc Spraying Of Stoot; British Welding Journal; Octob r 1996; 597-805
<del></del> -	+-	BREDENDICK-KAMPER tal.; AES Investigati n Of Thermally Sprayed Al <sub>2</sub> O <sub>2</sub> C atings On
0 111		St. 1: Free nive J. urnal Anal Chem: 1991: 341: 346-348

ubstitute f	for form 1449B/PTO	Complete if Known				
NEOE	RMATION DISCLOSURE	Application Number PAILOS ILA	3			
		Pling Date 11-17-01 Man	- 8			
STATE	EMENT BY APPRICANT,					
	FEB 2 7 2012	SAApplicants D. L. 1254	٠.			
	FEB 2 7 2002	MOCNE error	_			
(use as m	any shoots as necessary)	Group Art Unit 1295	a			
	2 of 2 TRAINFMAN	Examiner Name ±.c.n &	4			
Sheet	2 of 2 TRADEMAN	Attorney Docket Number   201-1258				
	Lenner L. C. C. C.	Between Process Variebles, Structure and Mechanical	=			
41	Bennettee Of Am Sprand S	iteel Coatinge; First Internetional Conference On Surfece				
flx	Engineering: June 25-28 198	85: 103-118: Brighton, UK				
-	KIM ot al.; Heat Flow in Multi	I-Pace Arc Spraying Process; Surface And Coatings Technology;				
	1989; 398-408;		_			
$\neg$	etiond About The Machinability Of Arc-Sprayed Steel Coetinge;					
- / -	Proceedings Of The Eleventh International Thermal Spraying Conference; September 8-12					
-	1986863-872; Montreal, Cana	Process: Combining The Advantagee Of Arc And HVOF	-			
Spraying; Journal Of Thermal Spray Technology; Occember 1984; 398-403; Volume 3(4)						
_	WEISS at al - Panid Prototyo	ing Of Tools; Carnegie Mellon University; October 1989; 1-23	_			
-	BHARGAVA et al.: Automate	ed Electability Analysis And Parting Surface Generation For Mold	_			
1	Tool Design: Camegie Mello	on University: May 1991: 1-29	_			
		Microetructure Of Arc Sprayed Metal Shelle; Carnegle Mellon				
	University; Mey 1991; 1-28		-			
- 1	CLYENS; Rapid Tooling Man	nufactured By Spray Tool Steel Directly Onto Stereolithography				
	Modele;	ion And Control; Proceedings Of The 7th National Thremal Spray	-			
	Conference: June 20-24 199-	4: 415-418: Roston, MA				
	Cli L et al : Monitoring Of Re	salduel Stress Generation Curing Thermal Spraying By Curveture	_			
	Meseurements; Proceedings	e Of The 7th National Thermal Spray Conference; June 20-24				
	1894; 581-592; Boeton, MA		_			
	RASTEGAR et al.; On The O	ptime! Motion Plenning For Solid Freeform Fabricetion By ge Of The 7th National Thermal Spray Conference; June 20-24				
1	Thermal SprayingProceeding	ge Of The / National Thermal Spray Conference; June 20-24				
-	MADDIC -t -1 - left-care Of	Wire Composition And Other Process Variebles On The Internal	-			
	Streep Of Arc Sprayed Steel	Continue: OVS: 80: 245-249				
	OPENING at all: Effects Of C	Costing Thickness And Residual Stresses On Bond Stresoth Of	_			
1	C633-79 Thermal Spray Coat	ting Teet Specimene; Proceedings of the 7th National Thermal				
	Spray Conference; June 20-	24 1994; 639-644; Boston, MA	_			
	KNIGHT et al.; Recidual Stre	sceee in Thermally Sprayed Coatings; Proceedings of the 1993				
-	National Thermal Spray Con	sference; June 7-11 1993; 607612; Anahelm, CA nputer Model To Aeelst in VPS Parameter Cevelopment;	-			
1	NEISER et al.; Use Of A Com	tional Thermal Spray Conference; June 7-11 1993; 61-66;				
1	Anshelm CA					
-1/-	FINERSON et al.: Intelligent	Control Strategies For The Plasma Spray Proceee; Proceedings	_			
		Spray Conference; June 7-11 1993; 205-211; Anahelm, CA				

EXAMER — OATE CONSIDERED 1/5/04.

\*\*Examine: Initial if display conditioned enterior or an option as a conformance with MPEP 50%. Drow has through cutsoos find an option and an option

Trifect disease dissipation must be: "Applicable to 3 box or power mark test." Equiple lappages Trusted to 1, state of the flat state of occased, 1/10 to 10 to 10



## PTO/SB/08A (08-00) Approved for use through 10/31/2002. OMB 0651-0031 U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

/				
INFORMATION DISCLOSURE	Atty. Docket No.	Serial No.		
STATEMENT BY APPLICANT	201-1258DP	09/683,160		
(Use several sheets if necessary)	First Named Inventor:			
	Allen ROCHE			
Sheet I of 2	Filing Date	Group 1215		
	11/27/2001	-Unassigned-		

Examiner	Cite	Include name of the author, title of the article, title of the item, date, page(s), volume-
Initial	No.	issue number(s), publisher, city and/or country where published  Sprayform Tools and Dies Limited (STD), Video Transcript, publication date at least a:
g-lex	CI .	early as 01 Sept. 2000.
1	C2	RADIP TOOLING - Changing the Face of Manufacturing, Compact Disc Digital Data dated 12 October 2000, trt: 10:50.
	C3	MERLE L. THORPE; and JOSEPH W. MINGE, SPRAY METAL COMPOSITE TOOLING, 26th Annual National SAMPE (Society For The Advancement Of Material And Process Engineering) Symposium And Exhibition, April 28-30, 1981, Pages 374-382, Figures 1-13 and Table I and II.
	C4	Co-pending United States Patent Application No. 69/683, 158 entitled "Method And Arrangement For Implementing Heat Treatment Before The Execution Of Sprayform Techniques" and filed 11/27/2001.
J	C5	Co-pending United States Patent Application No. 09/683,157 entitled "Method And Arrangement For Implementing Heat Treatment After The Execution Of Sprayform Techniques" and filed 11/27/2001.

DATE CONSIDERE TO 1700 EXAMINER Examiner: Initial if referenced coensidered, whether or not citation is in conformance with MPEP 60%. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Patent and Trademark Office-- US DEPARTMENT OF COMMERCE

applicant.

PTO/SB/08A (08-00) Approved for use through 10/31/2002. OMB 0651-0031 U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Unassigned

INFORMATION DISCLOSURE Atty. Docket No. Serial No. STATEMENT BY APPLICANT 201-1258DP 09/683.160 (Use several sheets if necessary) First Named Inventor: Allen ROCHE Group (245

Sheet 1 of 2 Filing Date 11/27/2001

## U.S. PATENT DOCUMENTS

Examiner	Cite	Document	Date of	Name of Patentee or	Int'l.	U.S.
Initial	No.	Number	Publication	Applicant of Cited Document	Class	Class
94K	A1	4481237	11-06-1984	Bosshart et al.		
1.7	A2	5424101	06-13-1995	Atkins et al.		
	A3	5430376	07-04-1995	Vierti	-	
	A4	5658506	08-19-1997	White et al.		~
N/	A5	5947179	09-07-1999	Kinane et al.		
- 0	A6	5952056	09-14-1999	Jordan et al.	_	
				RECE JAN 2 4	EIVED	
				700		
				JAN 2 4	2002	
				-		
				TC 1	700 —	
		<u> </u>				
	_					
				-		

EXAMINER (1.6.4)	DATE CONSIDERED
*Examiner: Initial if referenced considered, whether or n	1/5/6 g
through citation if not in conformance and not considered.	Include copy of this form with next communication to
applicant	

Patent and Trademark Office- US DEPARTMENT OF COMMERCE